

Via Fili di Dio, 12 - 20037 Paderno Dugnano Mi
 Tel. 02 9106940
 Email: mail@ma-pi.it - www.ma-pi.it

EURO PRICE LIST CENTRIFUGAL FANS

We can keep on supply centrifugal fans with "IE3" motors, only if expressly requested.

TYPE	MOTOR	KW	POLES	TYPE MOTOR	WITH BASE	TYPE MOTOR	WITHOUT BASE	WITHOUT MOTOR	CUSTOMER MOTOR	INLET GRID	INLET FLANGE	OUTLET FLANGE	FLANGED FITTING	SQUARE ROUND
VCN2.20	IE 1	0.09	2	=	=	B14	133,00	41,00	45,00	4,00	=	6,00	16,00	16,00
VCN2.25	=	0.09	2	=	=	B5	136,00	44,00	48,00	4,00	=	7,00	17,00	19,00
VCN2.30	IE 1	0.18	2	B3B5	164,00	B5	126,00	48,00	53,00	4,00	=	7,00	17,00	19,00
VCN2.40	IE 1	0.25	2	B3B5	172,00	B5	134,00	54,00	60,00	4,00	=	7,00	17,00	19,00
VCN2.50	IE 1	0.37	2	B3B5	219,00	B5	174,00	75,00	83,00	5,00	=	7,00	24,00	24,00
VCN2.50+	IE 1	0.55	2	B3B5	225,00	B5	180,00	75,00	83,00	5,00	=	7,00	24,00	24,00
VCN2.55	IE 1	0.55	2	B3B5	235,00	B5	189,00	85,00	93,00	5,00	=	9,00	26,00	24,00
VCN2.55+	IE2	0.75	2	B3B5	298,00	B5	250,00	85,00	93,00	5,00	=	9,00	26,00	24,00
VCN2.60	IE2	1.1	2	B3B5	331,00	B5	278,00	95,00	104,00	5,00	=	10,00	29,00	26,00
VCN2.60+	IE2	1.5	2	B3B5	370,00	B5	315,00	95,00	104,00	5,00	=	10,00	29,00	26,00
VCN4.40	IE 1	0.12	4	B3B5	168,00	B5	130,00	54,00	60,00	4,00	=	7,00	17,00	19,00
VCN4.50	IE 1	0.12	4	B3B5	195,00	B5	151,00	75,00	83,00	5,00	=	7,00	24,00	24,00
VCN4.55	IE 1	0.18	4	B3B5	208,00	B5	163,00	85,00	93,00	5,00	=	9,00	26,00	24,00
VCN4.60	IE 1	0.25	4	B3B5	235,00	B5	186,00	95,00	104,00	5,00	=	10,00	29,00	26,00
VCN6.60	IE 1	0.09	6	B3B5	233,00	B5	180,00	95,00	104,00	5,00	=	10,00	29,00	26,00
VCNP20	IE 1	0.18	2	B3B5	220,00	B5	182,00	105,00	116,00	=	=	13,00	=	=
VCNP25	IE 1	0.37	2	B3B5	283,00	B5	238,00	141,00	155,00	=	=	17,00	=	=
VCNP28	IE 1	0.55	2	B3B5	327,00	B5	281,00	179,00	197,00	=	=	17,00	=	=
VCNP30	IE2	0.75	2	B3B5	450,00	B5	382,00	220,00	241,00	=	=	17,00	=	=
VCNP35	IE2	1.5	2	B3B5	531,00	B5	476,00	259,00	285,00	=	=	17,00	=	=
VCNP35S	IE2	2.2	2	B3B5	566,00	B5	509,00	259,00	285,00	=	=	17,00	=	=

TYPE	MOTOR	KW	POLES	TYPE MOTOR	WITH BASE	TYPE MOTOR	WITHOUT BASE	WITHOUT MOTOR	CUSTOMER MOTOR	INLET GRID	INLET FLANGE	OUTLET FLANGE	FLANGED FITTING	SQUARE ROUND
VCB2.20	IE2	1.1	2	B3	421,00	B5	430,00	250,00	275,00	15,00	19,00	19,00	55,00	=
VCB2.20+	IE2	1.5	2	B3	457,00	B5	467,00	250,00	275,00	15,00	19,00	19,00	55,00	=
VCB4.20	IE 1	0.18	4	B3	321,00	B5	325,00	250,00	275,00	15,00	19,00	19,00	55,00	=
VCB4.25	IE 1	0.37	4	B3	405,00	B5	410,00	314,00	345,00	16,00	19,00	19,00	55,00	=
VCB4.25+	IE 1	0.55	4	B3	434,00	B5	440,00	314,00	345,00	16,00	19,00	19,00	55,00	=
VCB4.30	IE2	0.75	4	B3	539,00	B5	548,00	375,00	412,00	17,00	26,00	26,00	77,00	=
VCB4.30+	IE2	1.1	4	B3	578,00	B5	589,00	375,00	412,00	17,00	26,00	26,00	77,00	=
VCB4.35	IE2	1.1	4	B3	678,00	B5	690,00	448,00	493,00	21,00	26,00	26,00	77,00	=
VCB4.35+	IE2	2.2	4	B3	759,00	B5	775,00	448,00	493,00	21,00	26,00	26,00	77,00	=
VCB4.35++	IE2	3	4	B3	805,00	B5	824,00	448,00	493,00	21,00	26,00	26,00	77,00	=
VCB4.40	IE2	3	4	B3	868,00	B5	887,00	513,00	564,00	26,00	31,00	31,00	90,00	=
VCB4.40+	IE2	4	4	B3	932,00	B5	954,00	513,00	564,00	26,00	31,00	31,00	90,00	=
VCB4.40++	IE2	5.5	4	B3	1.088,00	B5	1117,00	513,00	564,00	26,00	31,00	31,00	90,00	=
VCB4.45	IE2	5.5	4	B3	1.235,00	B5	1265,00	664,00	730,00	30,00	31,00	31,00	90,00	=
VCB4.45+	IE2	7.5	4	B3	1.310,00	B5	1343,00	664,00	730,00	30,00	31,00	31,00	90,00	=
VCB4.45++	IE2	11	4	B3	1.666,00	B5	1717,00	664,00	730,00	30,00	31,00	31,00	90,00	=
VCB6.25	IE 1	0.18	6	B3	405,00	B5	405,00	314,00	345,00	16,00	19,00	19,00	55,00	=
VCB6.30	IE 1	0.37	6	B3	503,00	B5	503,00	375,00	412,00	17,00	26,00	26,00	77,00	=
VCB6.35	IE2	0.75	6	B3	649,00	B5	649,00	448,00	493,00	21,00	26,00	26,00	77,00	=
VCB6.40	IE2	1.5	6	B3	847,00	B5	847,00	513,00	564,00	26,00	31,00	31,00	90,00	=
VCB6.45	IE2	2.2	6	B3	1.087,00	B5	1087,00	664,00	730,00	30,00	31,00	31,00	90,00	=
VCB6.45+	IE2	3	6	B3	1.257,00	B5	1257,00	664,00	730,00	30,00	31,00	31,00	90,00	=
VCB6.50	IE2	4	6	B3	1.410,00	B5	1410,00	748,00	823,00	39,00	42,00	42,00	123,00	=
VCB6.50+	IE2	5.5	6	B3	1.463,00	B5	1463,00	748,00	823,00	39,00	42,00	42,00	123,00	=
VCB6.50++	IE2	7.5	6	B3	1.748,00	B5	1748,00	748,00	823,00	39,00	42,00	42,00	123,00	=
VCB6.55	IE2	5.5	6	B3	1.769,00	B5	1769,00	1062,00	1168,00	44,00	42,00	42,00	123,00	=
VCB6.55+	IE2	7.5	6	B3	2.055,00	B5	2055,00	1062,00	1168,00	44,00	42,00	42,00	123,00	=
VCB6.55++	IE2	11	6	B3	2.211,00	B5	2211,00	1062,00	1168,00	44,00	42,00	42,00	123,00	=
VCB6.60	IE2	7.5	6	B3	2.353,00	B5	2353,00	1367,00	1504,00	50,00	48,00	48,00	142,00	=
VCB6.60+	IE2	11	6	B3	2.510,00	B5	2510,00	1367,00	1504,00	50,00	48,00	48,00	142,00	=
VCB6.60++	IE2	15	6	B3	2.890,00	B5	2890,00	1367,00	1504,00	50,00	48,00	48,00	142,00	=
VCB8.50	IE 1	2.2	8	B3	1.237,00	B5	1237,00	748,00	823,00	39,00	42,00	42,00	123,00	=
VCB8.50+	IE 1	3	8	B3	1.318,00	B5	1318,00	748,00	823,00	39,00	42,00	42,00	123,00	=
VCB8.55	IE 1	3	8	B3	1.624,00	B5	1624,00	1062,00	1168,00	44,00	42,00	42,00	123,00	=
VCB8.55+	IE 1	5.5	8	B3	1.847,00	B5	1847,00	1062,00	1168,00	44,00	42,00	42,00	123,00	=
VCB8.60	IE 1	5.5	8	B3	2.145,00	B5	2145,00	1367,00	1504,00	50,00	48,00	48,00	142,00	=
VCB8.60+	IE 1	7.5	8	B3	2.275,00	B5	2275,00	1367,00	1504,00	50,00	48,00	48,00	142,00	=
VCM20	IE2	0.75	2	B3	404,00	B5	412,00	250,00	275,00	12,00	18,00	16,00	=	=
VCM20+	IE2	1.1	2	B3	421,00	B5	430,00	250,00	275,00	12,00	18,00	16,00	=	=
VCM25	IE2	1.5	2	B3	519,00	B5	529,00	314,00	345,00	15,00	19,00	17,00	=	=
VCM25+	IE2	2.2	2	B3	550,00	B5	563,00	314,00	345,00	15,00	19,00	17,00	=	=
VCM25++	IE2	3	2	B3	642,00	B5	659,00	314,00	345,00	15,00	19,00	17,00	=	=
VCM30	IE2	4	2	B3	847,00	B5	867,00	455,00	500,00	16,00	21,00	19,00	=	=
VCM30+	IE2	5.5	2	B3	1.031,00	B5	1060,00	455,00	500,00	16,00	21,00	19,00	=	=
VCM30++	IE2	7.5	2	B3	1.088,00	B5	1120,00	455,00	500,00	16,00	21,00	19,00	=	=
VCM35	IE2	7.5	2	B3	1.155,00	B5	1187,00	523,00	576,00	17,00	21,00	19,00	=	=
VCM35+	IE2	11	2	B3	1.529,00	B5	1580,00	523,00	576,00	17,00	21,00	19,00	=	=
VCM35++	IE2	15	2	B3	1.642,00	B5	1699,00	523,00	576,00	17,00	21,00	19,00	=	=

TYPE	MOTOR	KW	POLES	TYPE MOTOR	WITH BASE	TYPE MOTOR	WITHOUT BASE	WITHOUT MOTOR	CUSTOMER MOTOR	INLET GRID	INLET FLANGE	OUTLET FLANGE	FLANGED FITTING	SQUARE ROUND
VCMRS2.30	IE2	1.1	2	B3	566,00	B5	575,00	399,00	438,00	16,00	21,00	19,00	58,00	=
VCMRS2.35	IE2	2.2	2	B3	705,00	B5	718,00	473,00	520,00	17,00	23,00	19,00	66,00	=
VCMRS2.40	IE2	3	2	B3	869,00	B5	886,00	546,00	601,00	18,00	24,00	21,00	69,00	=
VCMRS2.45	IE2	5.5	2	B3	1.268,00	B5	1.297,00	697,00	766,00	21,00	26,00	21,00	75,00	=
VCMRS2.50	IE2	11	2	B3	1.789,00	B5	1.840,00	790,00	868,00	26,00	26,00	23,00	77,00	=
VCMRS4.30	IE 1	0.12	4	B3	463,00	B5	466,00	399,00	438,00	16,00	21,00	19,00	58,00	=
VCMRS4.35	IE 1	0.25	4	B3	550,00	B5	555,00	473,00	520,00	17,00	23,00	19,00	66,00	=
VCMRS4.40	IE 1	0.37	4	B3	632,00	B5	637,00	546,00	601,00	18,00	24,00	21,00	69,00	=
VCMRS4.45	IE2	0,75	4	B3	854,00	B5	862,00	697,00	766,00	21,00	26,00	21,00	75,00	=
VCMRS4.50	IE2	1.1	4	B3	983,00	B5	994,00	790,00	868,00	26,00	26,00	23,00	77,00	=
VCMRS4.55	IE2	2.2	4	B3	1.458,00	B5	1.473,00	1.163,00	1.280,00	30,00	29,00	24,00	85,00	=
VCMRS4.60	IE2	4	4	B3	1.730,00	B5	1.751,00	1.329,00	1.462,00	39,00	33,00	25,00	97,00	=
VCMR2.25	IE 1	0.37	2	B3	450,00	B5	455,00	363,00	400,00	15,00	19,00	18,00	55,00	=
VCMR2.30	IE2	0.75	2	B3	548,00	B5	556,00	399,00	438,00	16,00	21,00	19,00	58,00	=
VCMR2.30+	IE2	1.1	2	B3	566,00	B5	575,00	399,00	438,00	16,00	21,00	19,00	58,00	=
VCMR2.35	IE2	1.5	2	B3	674,00	B5	684,00	473,00	520,00	17,00	23,00	19,00	66,00	=
VCMR2.35+	IE2	2.2	2	B3	705,00	B5	718,00	473,00	520,00	17,00	23,00	19,00	66,00	=
VCMR2.40	IE2	3	2	B3	869,00	B5	886,00	546,00	601,00	18,00	24,00	21,00	69,00	=
VCMR2.40+	IE2	4	2	B3	936,00	B5	957,00	546,00	601,00	18,00	24,00	21,00	69,00	=
VCMR2.45	IE2	5.5	2	B3	1.268,00	B5	1.297,00	697,00	766,00	21,00	26,00	21,00	75,00	=
VCMR2.45+	IE2	7.5	2	B3	1.324,00	B5	1.356,00	697,00	766,00	21,00	26,00	21,00	75,00	=
VCMR2.50	IE2	7.5	2	B3	1.415,00	B5	1.447,00	790,00	868,00	26,00	26,00	23,00	77,00	=
VCMR2.50+	IE2	11	2	B3	1.789,00	B5	1.840,00	790,00	868,00	26,00	26,00	23,00	77,00	=
VCMR2.55	IE2	18.5	2	B3	2.370,00	B5	2.432,00	1.163,00	1.279,00	30,00	29,00	24,00	85,00	=
VCMR2.55+	IE2	22	2	B3	2.657,00	B5	2.733,00	1.163,00	1.279,00	30,00	29,00	24,00	85,00	=
VCMR4.30	IE 1	0.18	4	B3	466,00	B5	469,00	399,00	438,00	16,00	21,00	19,00	58,00	=
VCMR4.35	IE 1	0.25	4	B3	550,00	B5	555,00	473,00	520,00	17,00	23,00	19,00	66,00	=
VCMR4.40	IE 1	0.55	4	B3	660,00	B5	667,00	546,00	601,00	18,00	24,00	21,00	69,00	=
VCMR4.45	IE2	1.1	4	B3	893,00	B5	903,00	697,00	766,00	21,00	26,00	21,00	75,00	=
VCMR4.50	IE2	1.5	4	B3	1.011,00	B5	1.023,00	790,00	868,00	26,00	26,00	23,00	77,00	=
VCMR4.55	IE2	3	4	B3	1.503,00	B5	1.522,00	1.163,00	1.280,00	30,00	29,00	24,00	85,00	=
VCMR4.60	IE2	4	4	B3	1.730,00	B5	1.751,00	1.329,00	1.462,00	39,00	33,00	25,00	97,00	=
VCMR4.70	IE2	7,5	4	B3	2.919,00	B5	2.952,00	2.312,00	2.543,00	84,00	53,00	48,00	211,00	=
VCMR4.70+	IE2	11	4	B3	3.275,00	B5	3.326,00	2.312,00	2.543,00	84,00	53,00	48,00	211,00	=
VCMR4.80	IE2	11	4	B3	3.562,00	B5	3.613,00	2.606,00	2.867,00	101,00	57,00	48,00	228,00	=
VCMR4.80+	IE2	15	4	B3	3.719,00	B5	3.778,00	2.606,00	2.867,00	101,00	57,00	48,00	228,00	=
VCMR4.90	IE2	22	4	B3	4.622,00	B5	4.699,00	3.141,00	3.455,00	122,00	65,00	53,00	258,00	=
VCMR4.90+	IE2	30	4	B3	5.119,00	B5	5.221,00	3.141,00	3.455,00	122,00	65,00	53,00	258,00	=
VCMRL2.30	IE2	1.5	2	B3	641,00	B5	523,00	439,00	482,00	16,00	21,00	19,00	58,00	=
VCMRL2.35	IE2	2.2	2	B3	762,00	B5	799,00	520,00	572,00	17,00	23,00	19,00	66,00	=
VCMRL2.40	IE2	4	2	B3	936,00	B5	957,00	546,00	601,00	18,00	24,00	21,00	66,00	=
VCMRL2.40+	IE2	5.5	2	B3	1.174,00	B5	1.203,00	601,00	661,00	18,00	24,00	21,00	69,00	=
VCMRL2.45	IE2	7.5	2	B3	1.324,00	B5	1.356,00	697,00	766,00	21,00	26,00	21,00	75,00	=
VCMRL2.50	IE2	15	2	B3	1.902,00	B5	1.959,00	790,00	868,00	26,00	26,00	23,00	77,00	=
VCMRL4.30	IE 1	0.18	4	B3	466,00	B5	469,00	399,00	438,00	16,00	21,00	19,00	58,00	=
VCMRL4.35	IE 1	0.37	4	B3	560,00	B5	565,00	473,00	520,00	17,00	23,00	19,00	66,00	=
VCMRL4.40	IE 1	0.55	4	B3	660,00	B5	667,00	546,00	601,00	18,00	24,00	21,00	66,00	=
VCMRL4.45	IE2	1.1	4	B3	921,00	B5	903,00	697,00	766,00	21,00	26,00	21,00	75,00	=
VCMRL4.50	IE2	2.2	4	B3	1.170,00	B5	1.100,00	868,00	955,00	26,00	26,00	23,00	77,00	=
VCMRL4.55	IE2	4	4	B3	1.426,00	B5	1.448,00	1.019,00	1.121,00	30,00	29,00	24,00	85,00	=
VCMRL4.60	IE2	5.5	4	B3	1.762,00	B5	1.792,00	1.203,00	1.324,00	39,00	33,00	25,00	97,00	=

TYPE	MOTOR	KW	POLES	TYPE MOTOR	WITH BASE	TYPE MOTOR	WITHOUT BASE	WITHOUT MOTOR	CUSTOMER MOTOR	INLET GRID	INLET FLANGE	OUTLET FLANGE	FLANGED FITTING	SQUARE ROUND
VCBR2.25	IE 1	0.55	2	B3	523,00	B5	528,00	435,00	478,00	16,00	16,00	20,00	63,00	=
VCBR2.28	IE2	1.1	2	B3	618,00	B5	627,00	456,00	501,00	17,00	18,00	25,00	72,00	=
VCBR2.30	IE2	2.2	2	B3	803,00	B5	815,00	578,00	635,00	17,00	20,00	29,00	79,00	=
VCBR2.35	IE2	3	2	B3	1.038,00	B5	1.055,00	727,00	799,00	25,00	21,00	34,00	83,00	=
VCBR2.40	IE2	5.5	2	B3	1.418,00	B5	1.446,00	863,00	949,00	30,00	27,00	45,00	108,00	=
VCBR2.45	IE2	11	2	B3	2.007,00	B5	2.057,00	1.034,00	1.137,00	34,00	30,00	47,00	119,00	=
VCBR2.50	IE2	18.5	2	B3	2.405,00	B5	2.466,00	1.224,00	1.347,00	38,00	33,00	54,00	130,00	=
VCBR4.30	IE 1	0.18	4	B3	588,00	B5	591,00	526,00	578,00	17,00	20,00	29,00	79,00	=
VCBR4.35	IE 1	0.37	4	B3	748,00	B5	752,00	667,00	734,00	25,00	21,00	34,00	83,00	=
VCBR4.40	IE 1	0.55	4	B3	902,00	B5	909,00	797,00	877,00	30,00	27,00	45,00	108,00	=
VCBR4.45	IE2	1.1	4	B3	1.062,00	B5	1.073,00	876,00	963,00	34,00	30,00	47,00	119,00	=
VCBR4.50	IE2	2.2	4	B3	1.239,00	B5	1.334,00	1.029,00	1.131,00	38,00	33,00	54,00	130,00	=
VCBR4.55	IE2	4	4	B3	1.677,00	B5	1.761,00	1.350,00	1.485,00	82,00	43,00	70,00	169,00	=
VCBR4.65	IE2	7.5	4	B3	2.253,00	B5	2.286,00	1.645,00	1.810,00	93,00	45,00	77,00	178,00	=
VCBR4.70	IE2	15	4	B3	3.573,00	B5	3.631,00	2.483,00	2.731,00	107,00	54,00	85,00	214,00	=
VCBR4.80	IE2	22	4	B3	4.511,00	B5	4.587,00	3.061,00	3.367,00	128,00	57,00	101,00	226,00	=
VCBR4.90	IE2	45	4	B3	6.640,00	B5	6.779,00	3.963,00	4.359,00	156,00	62,00	113,00	245,00	=
VCBR6.50	IE 1	0.55	6	B3	1.146,00	B5	1.153,00	1.029,00	1.131,00	38,00	33,00	54,00	130,00	=
VCBR6.55	IE2	1.1	6	B3	1.556,00	B5	1.568,00	1.350,00	1.485,00	82,00	43,00	70,00	169,00	=
VCBR6.65	IE2	2.2	6	B3	2.035,00	B5	2.056,00	1.645,00	1.810,00	93,00	45,00	77,00	178,00	=
VCBR6.70	IE2	4	6	B3	2.966,00	B5	2.999,00	2.358,00	2.594,00	107,00	54,00	85,00	214,00	=
VCBR6.80	IE2	7.5	6	B3	3.907,00	B5	3.957,00	2.983,00	3.281,00	128,00	57,00	101,00	226,00	=
VCBR6.90	IE2	15	6	B3	5.145,00	B5	5.222,00	3.712,00	4.084,00	156,00	62,00	113,00	245,00	=

TYPE	MOTOR	KW	POLES	TYPE MOTOR	WITH BASE	TYPE MOTOR	WITHOUT BASE	WITHOUT MOTOR	CUSTOMER MOTOR	INLET GRID	INLET FLANGE	OUTLET FLANGE	FLANGED FITTING	SQUARE ROUND
VCAS2.20	IE 1	0.18	2	B3	284,00	B5	287,00	213,00	234,00	22,00	18,00	15,00	=	=
VCAS2.25	IE 1	0.25	2	B3	365,00	B5	370,00	296,00	326,00	22,00	18,00	15,00	=	=
VCAS2.30	IE2	0.75	2	B3	473,00	B5	481,00	321,00	354,00	22,00	18,00	15,00	=	=
VCAS2.35	IE2	1.5	2	B3	584,00	B5	595,00	381,00	419,00	22,00	18,00	15,00	=	=
VCAS2.40	IE2	3	2	B3	772,00	B5	789,00	447,00	492,00	27,00	19,00	19,00	=	=
VCAS2.45	IE2	4	2	B3	897,00	B5	916,00	505,00	555,00	27,00	19,00	19,00	=	=
VCAS2.50	IE2	7.5	2	B3	1.187,00	B5	1.219,00	556,00	612,00	27,00	19,00	19,00	=	=
VCAS2.55	IE2	11	2	B3	1.636,00	B5	1.686,00	632,00	696,00	27,00	21,00	19,00	=	=
VCAS2.55+	IE2	15	2	B3	1.749,00	B5	1.806,00	632,00	696,00	27,00	21,00	19,00	=	=
VCAS2.60	IE2	15	2	B3	2.017,00	B5	2.073,00	907,00	999,00	27,00	21,00	19,00	=	=
VCAS2.60+	IE2	18.5	2	B3	2.121,00	B5	2.182,00	907,00	999,00	27,00	21,00	19,00	=	=
VCAS2.60++	IE2	22	2	B3	2.408,00	B5	2.484,00	907,00	999,00	27,00	21,00	19,00	=	=
VCA2.20	IE 1	0.18	2	B3	284,00	B5	288,00	214,00	235,00	22,00	18,00	15,00	=	=
VCA2.25	IE 1	0.37	2	B3	358,00	B5	363,00	269,00	296,00	22,00	18,00	15,00	=	=
VCA2.30	IE2	0.75	2	B3	474,00	B5	482,00	322,00	354,00	22,00	18,00	15,00	=	=
VCA2.35	IE2	1.1	2	B3	549,00	B5	558,00	381,00	420,00	22,00	18,00	15,00	=	=
VCA2.35+	IE2	1.5	2	B3	585,00	B5	595,00	381,00	420,00	22,00	18,00	15,00	=	=
VCA2.40	IE2	2.2	2	B3	681,00	B5	693,00	447,00	492,00	28,00	19,00	19,00	=	=
VCA2.40+	IE2	3	2	B3	773,00	B5	790,00	448,00	492,00	28,00	19,00	19,00	=	=
VCA2.45	IE2	4	2	B3	897,00	B5	917,00	506,00	556,00	28,00	19,00	19,00	=	=
VCA2.45+	IE2	5.5	2	B3	1.081,00	B5	1.110,00	506,00	556,00	28,00	19,00	19,00	=	=
VCA2.50	IE2	5.5	2	B3	1.130,00	B5	1.160,00	556,00	612,00	28,00	19,00	19,00	=	=
VCA2.50+	IE2	7.5	2	B3	1.187,00	B5	1.219,00	556,00	612,00	28,00	19,00	19,00	=	=
VCA2.55	IE2	11	2	B3	1.636,00	B5	1.687,00	633,00	697,00	28,00	21,00	19,00	=	=
VCA2.55+	IE2	15	2	B3	1.750,00	B5	1.806,00	633,00	697,00	28,00	21,00	19,00	=	=
VCA2.60	IE2	15	2	B3	2.018,00	B5	2.075,00	908,00	999,00	28,00	21,00	19,00	=	=
VCA2.60+	IE2	18.5	2	B3	2.121,00	B5	2.183,00	908,00	999,00	28,00	21,00	19,00	=	=
VCA2.65	IE2	22	2	B3	3.002,00	B5	3.079,00	1.517,00	1.668,00	24,00	24,00	22,00	=	=
VCA2.65	IE2	30	2	B3	3.523,00	B5	3.625,00	1.517,00	1.668,00	24,00	24,00	22,00	=	=
VCA2.70	IE2	37	2	B3	4.194,00	B5	4.307,00	1.982,00	2.180,00	26,00	26,00	24,00	=	=
VCA2.70+	IE2	45	2	B3	4.898,00	B5	5.046,00	1.982,00	2.180,00	26,00	26,00	24,00	=	=
VCA4.70	IE2	4	4	B3	2.367,00	B5	2.388,00	1.982,00	2.180,00	26,00	26,00	24,00	=	=
VCA4.70+	IE2	5,5	4	B3	2.522,00	B5	2.552,00	1.982,00	2.180,00	26,00	26,00	24,00	=	=
VCA4.80	IE2	7,5	4	B3	3.235,00	B5	3.268,00	2.636,00	2.899,00	30,00	32,00	30,00	=	=
VCA4.80+	IE2	11	4	B3	3.591,00	B5	3.642,00	2.636,00	2.899,00	30,00	32,00	30,00	=	=
VCA4.90	IE2	15	4	B3	4.494,00	B5	4.553,00	3.400,00	3.740,00	38,00	43,00	40,00	=	=
VCA4.90+	IE2	22	4	B3	4.874,00	B5	4.952,00	3.400,00	3.740,00	38,00	43,00	40,00	=	=
VCAL2.20	IE 1	0.18	2	B3	284,00	B5	288,00	214,00	235,00	22,00	18,00	15,00	=	=
VCAL2.25	IE 1	0.37	2	B3	358,00	B5	363,00	269,00	296,00	22,00	18,00	15,00	=	=
VCAL2.30	IE2	1.1	2	B3	491,00	B5	500,00	322,00	354,00	22,00	18,00	15,00	=	=
VCAL2.35	IE2	2.2	2	B3	616,00	B5	629,00	381,00	420,00	22,00	18,00	15,00	=	=
VCAL2.40	IE2	4	2	B3	840,00	B5	860,00	447,00	492,00	28,00	19,00	19,00	=	=
VCAL2.45	IE2	7.5	2	B3	1.137,00	B5	1.170,00	506,00	556,00	28,00	19,00	19,00	=	=
VCAL2.50	IE2	11	2	B3	1.616,00	B5	1.667,00	612,00	674,00	28,00	19,00	19,00	=	=
VCAL2.55	IE2	15	2	B3	1.750,00	B5	1.806,00	633,00	697,00	28,00	21,00	19,00	=	=
VCAL2.55+	IE2	18.5	2	B3	1.853,00	B5	1.915,00	633,00	697,00	28,00	21,00	19,00	=	=
VCAL2.60	IE2	22	2	B3	2.408,00	B5	2.484,00	908,00	999,00	28,00	21,00	19,00	=	=
VCAL2.60+	IE2	30	2	B3	3.018,00	B5	3.120,00	999,00	1.099,00	28,00	21,00	19,00	=	=

TYPE	MOTOR	KW	POLES	TYPE MOTOR	WITH BASE	TYPE MOTOR	WITHOUT BASE	WITHOUT MOTOR	CUSTOMER MOTOR	INLET GRID	INLET FLANGE	OUTLET FLANGE	FLANGED FITTING	SQUARE ROUND
VCAR30	IE 1	0.55	2	B3B5	623,00	B5	618,00	524,00	576,00	15,00	18,00	15,00	52,00	=
VCAR35	IE2	1.1	2	B3B5	748,00	B5	739,00	567,00	624,00	15,00	18,00	15,00	52,00	=
VCAR40	IE2	1.5	2	B3B5	846,00	B5	835,00	627,00	690,00	15,00	19,00	19,00	55,00	=
VCAR45	IE2	3	2	B3B5	1.049,00	B5	1.032,00	696,00	766,00	16,00	19,00	19,00	55,00	=
VCAR50	IE2	4	2	B3B5	1.231,00	B5	1.211,00	807,00	887,00	17,00	19,00	19,00	55,00	=
VCAR50+	IE2	5.5	2	B3B5	1.433,00	B5	1.404,00	807,00	887,00	17,00	19,00	19,00	55,00	=
VCAR55	IE2	7.5	2	B3B5	1.576,00	B5	1.544,00	889,00	978,00	18,00	21,00	19,00	61,00	=
VCAR55	IE2	11	2	B3B5	1.987,00	B5	1.937,00	889,00	978,00	18,00	21,00	19,00	61,00	=
VCAR60	IE2	11	2	B3B5	2.184,00	B5	2.133,00	1.090,00	1.199,00	25,00	21,00	19,00	61,00	=
VCAR60+	IE2	15	2	B3B5	2.308,00	B5	2.252,00	1.090,00	1.199,00	25,00	21,00	19,00	61,00	=
VCAR70	IE2	22	2	B3B5	3.001,00	B5	2.925,00	1.360,00	1.496,00	30,00	21,00	19,00	61,00	=
VCAR70+	IE2	30	2	B3B5	3.574,00	B5	3.472,00	1.360,00	1.496,00	30,00	21,00	19,00	61,00	=
VCAR80	IE2	37	2	B3B5	5.265,00	B5	5.152,00	2.848,00	3.132,00	38,00	32,00	30,00	94,00	=
VCAR80+	IE2	45	2	B3B5	6.040,00	B5	5.892,00	2.848,00	3.132,00	38,00	32,00	30,00	94,00	=
VCAR80++	IE2	55	2	B3B5	6.847,00	B5	6.662,00	2.848,00	3.132,00	38,00	32,00	30,00	94,00	=
VCAR4.80	IE2	5.5	4	B3B5	3.426,00	B5	3.397,00	2.848,00	3.132,00	38,00	32,00	30,00	94,00	=
VCAR4.80+	IE2	7.5	4	B3B5	3.508,00	B5	3.475,00	2.848,00	3.132,00	38,00	32,00	30,00	94,00	=
VCAR90	IE2	75	2	B3B5	8.547,00	B5	8.318,00	3.603,00	3.964,00	51,00	43,00	40,00	128,00	=
VCAR90+	IE2	90	2	B3B5	9.281,00	B5	9.019,00	3.603,00	3.964,00	51,00	43,00	40,00	128,00	=
VCAR4.90	IE2	11	4	B3B5	4.638,00	B5	4.587,00	3.603,00	3.964,00	51,00	43,00	40,00	128,00	=
VCAR4.90+	IE2	15	4	B3B5	4.810,00	B5	4.751,00	3.603,00	3.964,00	51,00	43,00	40,00	128,00	=
VCARL30	IE 1	0.55	2	B3B5	623,00	B5	618,00	524,00	576,00	15,00	18,00	15,00	52,00	=
VCARL35	IE2	1.1	2	B3B5	748,00	B5	739,00	567,00	624,00	15,00	18,00	15,00	52,00	=
VCARL35+	IE2	1.5	2	B3B5	843,00	B5	832,00	624,00	686,00	15,00	18,00	15,00	52,00	=
VCARL40	IE2	1.5	2	B3B5	846,00	B5	835,00	627,00	690,00	15,00	19,00	19,00	55,00	=
VCARL40+	IE2	2.2	2	B3B5	881,00	B5	869,00	627,00	690,00	15,00	19,00	19,00	55,00	=
VCARL45	IE2	4	2	B3B5	1.192,00	B5	1.171,00	766,00	843,00	16,00	19,00	19,00	55,00	=
VCARL50	IE2	7.5	2	B3B5	1.496,00	B5	1.464,00	807,00	887,00	17,00	19,00	19,00	55,00	=
VCARL55	IE2	11	2	B3B5	1.987,00	B5	1.937,00	889,00	978,00	18,00	21,00	19,00	61,00	=
VCARL55+	IE2	15	2	B3B5	2.112,00	B5	2.056,00	889,00	978,00	18,00	21,00	19,00	61,00	=
VCARL60	IE2	18.5	2	B3B5	2.422,00	B5	2.361,00	1.090,00	1.199,00	25,00	21,00	19,00	61,00	=
VCARL60+	IE2	22	2	B3B5	2.845,00	B5	2.769,00	1.199,00	1.319,00	25,00	21,00	19,00	61,00	=
VCARL70	IE2	37	2	B3B5	3.813,00	B5	3.700,00	1.360,00	1.496,00	30,00	21,00	19,00	61,00	=
VCARL70+	IE2	45	2	B3B5	4.720,00	B5	4.572,00	1.496,00	1.645,00	30,00	21,00	19,00	61,00	=
VCH30	IE 1	0.18	2	B3	363,00	B5	367,00	295,00	324,00	10,00	17,00	15,00	=	=
VCH35	IE 1	0.37	2	B3	432,00	B5	437,00	345,00	380,00	10,00	17,00	15,00	=	=
VCH40	IE2	0.75	2	B3	558,00	B5	566,00	408,00	449,00	10,00	17,00	15,00	=	=
VCH45	IE2	0.75	2	B3	605,00	B5	613,00	456,00	502,00	12,00	18,00	18,00	=	=
VCH45+	IE2	1.5	2	B3	658,00	B5	668,00	456,00	502,00	12,00	18,00	18,00	=	=
VCH50	IE2	1.5	2	B3	713,00	B5	723,00	513,00	564,00	12,00	18,00	18,00	=	=
VCH50+	IE2	2.2	2	B3	745,00	B5	757,00	513,00	564,00	12,00	18,00	18,00	=	=
VCH55	IE2	2.2	2	B3	818,00	B5	830,00	588,00	647,00	14,00	18,00	18,00	=	=
VCH55+	IE2	3	2	B3	910,00	B5	927,00	588,00	647,00	14,00	18,00	18,00	=	=
VCH60	IE2	4	2	B3	1.025,00	B5	1.045,00	637,00	700,00	14,00	18,00	18,00	=	=
VCH60+	IE2	5.5	2	B3	1.209,00	B5	1.238,00	637,00	700,00	14,00	18,00	18,00	=	=
VCH65	IE2	5.5	2	B3	1.263,00	B5	1.293,00	693,00	762,00	15,00	18,00	18,00	=	=
VCH65+	IE2	7.5	2	B3	1.320,00	B5	1.352,00	693,00	762,00	15,00	18,00	18,00	=	=
VCH70	IE2	7.5	2	B3	1.385,00	B5	1.417,00	759,00	835,00	15,00	18,00	18,00	=	=
VCH70+	IE2	11	2	B3	1.759,00	B5	1.810,00	759,00	835,00	15,00	18,00	18,00	=	=
VCH80	IE2	18.5	2	B3	3.575,00	B5	3.636,00	2.397,00	2.636,00	16,00	22,00	20,00	=	=
VCH80+	IE2	30	2	B3	4.382,00	B5	4.484,00	2.397,00	2.636,00	16,00	22,00	20,00	=	=
VCH90	IE2	30	2	B3	5.060,00	B5	5.162,00	3.091,00	3.400,00	17,00	28,00	24,00	=	=

VCH90+	IE2	45	2	B3	5.981,00	B5	6.129,00	3.091,00	3.400,00	17,00	28,00	24,00	=	=
--------	-----	----	---	----	----------	----	----------	----------	----------	-------	-------	-------	---	---

TYPE	MOTOR	KW	POLES	TYPE MOTOR	WITH BASE	TYPE MOTOR	WITHOUT BASE	WITHOUT MOTOR	CUSTOMER MOTOR	INLET GRID	INLET FLANGE	OUTLET FLANGE	FLANGED FITTING	SQUARE ROUND
VCHL30	IE 1	0.37	2	B3	412,00	B5	417,00	325,00	357,00	10,00	17,00	15,00	=	=
VCHL35	IE2	0.75	2	B3	530,00	B5	538,00	380,00	418,00	10,00	17,00	15,00	=	=
VCHL40	IE2	1.1	2	B3	575,00	B5	584,00	408,00	449,00	10,00	17,00	15,00	=	=
VCHL45	IE2	2.2	2	B3	689,00	B5	702,00	456,00	502,00	12,00	18,00	17,00	=	=
VCHL50	IE2	4	2	B3	954,00	B5	974,00	564,00	621,00	12,00	18,00	17,00	=	=
VCHL55	IE2	4	2	B3	1.035,00	B5	1.055,00	647,00	711,00	14,00	18,00	17,00	=	=
VCHL55+	IE2	5.5	2	B3	1.219,00	B5	1.248,00	647,00	711,00	14,00	18,00	17,00	=	=
VCHL60	IE2	7.5	2	B3	1.265,00	B5	1.298,00	637,00	700,00	14,00	18,00	17,00	=	=
VCHL60+	IE2	11	2	B3	1.702,00	B5	1.753,00	701,00	771,00	14,00	18,00	17,00	=	=
VCHL65	IE2	11	2	B3	1.762,00	B5	1.813,00	762,00	838,00	15,00	18,00	17,00	=	=
VCHL65+	IE2	15	2	B3	1.875,00	B5	1.932,00	762,00	838,00	15,00	18,00	17,00	=	=
VCHL70	IE2	15	2	B3	1.873,00	B5	1.929,00	759,00	835,00	15,00	18,00	17,00	=	=
VCHL70+	IE2	18.5	2	B3	1.976,00	B5	2.038,00	759,00	835,00	15,00	18,00	17,00	=	=

TYPE	MOTOR	KW	POLES	TYPE MOTOR	WITH BASE	TYPE MOTOR	WITHOUT BASE	WITHOUT MOTOR	CUSTOMER MOTOR	INLET GRID	INLET FLANGE	OUTLET FLANGE	FLANGED FITTING	SQUARE ROUND
VCHR45	IE2	0.75	2	B3B5	753,00	B5	745,00	592,00	651,00	14,00	18,00	17,00	52,00	=
VCHR45+	IE2	1.5	2	B3B5	811,00	B5	800,00	592,00	651,00	14,00	18,00	17,00	52,00	=
VCHR50	IE2	1.5	2	B3B5	868,00	B5	858,00	650,00	715,00	15,00	18,00	17,00	52,00	=
VCHR50+	IE2	2.2	2	B3B5	903,00	B5	891,00	650,00	715,00	15,00	18,00	17,00	52,00	=
VCHR55	IE2	2.2	2	B3B5	1.010,00	B5	998,00	759,00	835,00	15,00	18,00	17,00	52,00	=
VCHR55+	IE2	3	2	B3B5	1.111,00	B5	1.094,00	759,00	835,00	15,00	18,00	17,00	52,00	=
VCHR60	IE2	4	2	B3B5	1.297,00	B5	1.277,00	874,00	961,00	15,00	19,00	18,00	55,00	=
VCHR60+	IE2	5.5	2	B3B5	1.499,00	B5	1.470,00	874,00	961,00	15,00	19,00	18,00	55,00	=
VCHR65	IE2	5.5	2	B3B5	1.562,00	B5	1.532,00	938,00	1.032,00	16,00	21,00	19,00	58,00	=
VCHR65+	IE2	7.5	2	B3B5	1.624,00	B5	1.592,00	938,00	1.032,00	16,00	21,00	19,00	58,00	=
VCHR70	IE2	7.5	2	B3B5	1.724,00	B5	1.692,00	1.040,00	1.144,00	16,00	21,00	21,00	58,00	=
VCHR70+	IE2	11	2	B3B5	2.135,00	B5	2.084,00	1.040,00	1.144,00	16,00	21,00	21,00	58,00	=
VCHR80	IE2	15	2	B3B5	3.314,00	B5	3.257,00	2.120,00	2.332,00	17,00	24,00	24,00	94,00	=
VCHR80+	IE2	22	2	B3B5	3.743,00	B5	3.667,00	2.120,00	2.332,00	17,00	24,00	24,00	94,00	=
VCHR90	IE2	30	2	B3B5	4.722,00	B5	4.620,00	2.535,00	2.789,00	24,00	30,00	29,00	118,00	=
VCHR90+	IE2	37	2	B3B5	4.960,00	B5	4.847,00	2.535,00	2.789,00	24,00	30,00	29,00	118,00	=

VCHRL45	IE2	2.2	2	B3B5	846,00	B5	834,00	592,00	651,00	14,00	18,00	17,00	52,00	=
VCHRL50	IE2	3	2	B3B5	1.068,00	B5	1.051,00	715,00	787,00	15,00	18,00	17,00	52,00	=
VCHRL55	IE2	5.5	2	B3B5	1.462,00	B5	1.433,00	836,00	919,00	15,00	18,00	17,00	52,00	=
VCHRL60	IE2	11	2	B3B5	2.059,00	B5	2.008,00	962,00	1.058,00	15,00	19,00	18,00	55,00	=
VCHRL65	IE2	11	2	B3B5	2.127,00	B5	2.076,00	1.032,00	1.135,00	16,00	21,00	19,00	58,00	=
VCHRL65+	IE2	15	2	B3B5	2.252,00	B5	2.195,00	1.032,00	1.135,00	16,00	21,00	19,00	58,00	=
VCHRL70	IE2	15	2	B3B5	2.260,00	B5	2.203,00	1.040,00	1.144,00	16,00	21,00	21,00	58,00	=
VCHRL70+	IE2	18.5	2	B3B5	2.374,00	B5	2.312,00	1.040,00	1.144,00	16,00	21,00	21,00	58,00	=

ACCESSORIES

CONDENSATION DISCHARGE PLUG 1/2" FOR ALL FANS - VCN AND VCNP SERIES EXCLUDED: €63,00

"L" STANDING SUPPORT FOR ALL FANS - VCN SERIES EXCLUDED: €29,00

WELDING SPIRAL CASING : 10% IN ADDITION TO THE PRICE OF THE FAN WITHOUT MOTOR

SPECIAL ANTISPARK VERSION : 10% IN ADDITION TO THE PRICE OF THE FAN WITHOUT MOTOR

MOTOR OF OTHER SIZES : 10% IN ADDITION TO THE PRICE OF THE FAN WITHOUT MOTOR

ORDERS:

The order is accepted only after our written-confirmation.

Delivery terms are respected as much as possible.

Delayed deliveries do not justify contract cancellation, not even damages claiming.

Ma.pi will not acknowledge any penalty for delayed deliveries.

SUPPLY TERMS:

Three-phase standard electrical motor (on request: special motors at different price).

European voltage 230/400 V Hz 50 +/- 5% < = 4 KW.

European voltage 400/690 V Hz 50 +/- 5% > = 5,5 KW.

Standard protection IP54.

Insulation system Class F.

Light-grey epoxy paint.

Prices do not include VAT.

Transport costs are to be charged to the buyer.

Packaging costs, when requested, are to be charged to the buyer.

Everything is not indicated is absolutely excluded from supply.

GUARANTEE :

Six months since date of delivery.

Ma-pi will unappealably judge defective manufacturing or materials which will be replaced free of charge.

All the expenses will be charged to the buyer.

Goods are shipped at customer's risk.

Incidental objections have to be notified within 8 days from receipt of goods.

Any controversies will be judged by Monza law-courts.

Via Fili di Dio, 12 - 20037 Paderno Dugnano Mi

Tel. 02 9106940

Email: mail@ma-pi.it - www.ma-pi.it

EURO PRICE LIST IMPELLER

Type	Impeller	Inlet nozzle
------	----------	--------------

GB20	94,00	21,00
GB25	117,00	25,00
GB30	140,00	29,00
GB35	167,00	35,00
GB40	191,00	38,00
GB45	246,00	43,00
GB50	279,00	52,00
GB55	395,00	55,00
GB60	508,00	68,00

GMRS25	135,00	25,00
GMRS30	148,00	32,00
GMRS35	176,00	37,00
GMRS40	283,00	44,00
GMRS45	258,00	56,00
GMRS50	294,00	62,00
GMRS55	345,00	63,00
GMRS60	407,00	63,00

GMR25	135,00	25,00
GMR30	148,00	32,00
GMR35	176,00	37,00
GMR40	203,00	44,00
GMR45	258,00	56,00
GMR50	294,00	62,00
GMR55	345,00	63,00
GMR60	407,00	63,00

GMRL25	135,00	25,00
GMRL30	148,00	32,00
GMRL30+	162,00	32,00
GMRL30++	148,00	32,00
GMRL35	176,00	37,00
GMRL35+	190,00	37,00
GMRL40	283,00	44,00
GMRL40+	220,00	44,00
GMRL45	258,00	56,00
GMRL50	294,00	62,00
GMRL50+	318,00	62,00
GMRL55	345,00	63,00
GMRL55+	375,00	63,00
GMRL60	407,00	63,00
GMRL60+	441,00	63,00

EURO PRICE LIST HELICOIDAL FANS

TYPE	MOTOR	MOT. Kw	SPEED RPM	PRICES €	GRAVITY SHUTTER €	SPACER FLANGES €	GRID €
VE 4.20	IE 1	0.06	1420	190,00	107,00	30,00	159,00
VE 4.25	IE 1	0.06	1450	207,00	111,00	33,00	159,00
VE 4.30	IE 1	0.09	1450	212,00	114,00	38,00	162,00
VE 4.35	IE 1	0.18	1450	246,00	118,00	42,00	163,00
VE 4.40	IE 1	0.25	1450	267,00	122,00	45,00	162,00
VE 4.45	IE 1	0.37	1450	289,00	124,00	47,00	164,00
VE 4.50	IE 1	0.55	1450	371,00	130,00	51,00	166,00
VE 4.55	IE2	0.75	1450	471,00	135,00	55,00	170,00
VE 4.60	IE2	1.1	1450	588,00	144,00	59,00	173,00
VE 6.35	IE 1	0.18	900	270,00	118,00	42,00	162,00
VE 6.40	IE 1	0.18	900	278,00	122,00	45,00	163,00
VE 6.45	IE 1	0.18	950	289,00	124,00	47,00	164,00
VE 6.50	IE 1	0.25	950	348,00	130,00	51,00	166,00
VE 6.55	IE 1	0.25	950	399,00	135,00	55,00	170,00
VE 6.60	IE 1	0.37	950	509,00	144,00	59,00	173,00

SUPPLY TERMS:

Three-phase standard electrical motor (on request: special motors at different price).

European voltage 230/400 V Hz 50 +/- 5% < = 4 KW.

European voltage 400/690 V Hz 50 +/- 5% > = 5,5 KW.

Standard protection IP54.

Insulation system Class F.

Light-grey epoxy paint.

Prices do not include VAT.

Transport costs are to be charged to the buyer.

Packaging costs, when requested, are to be charged to the buyer.

Everything is not indicated is absolutely excluded from supply.